

Notice of References Cited	Application/Control No. 10/523,353	Applicant(s)/Patent Under Reexamination YANG, QING	
	Examiner RUSSELL S. NEGIN	Art Unit 1631	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	A	US-			
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	Ostergaard et al. High resolution measurement of cerebral blood flow using intravascular tracer bolus passages. Part I: Mathematical approach and statistical analysis. Magnetic Resonance in Medicine, volume 36, 1996, pages 715-725.
	V	Ostergaard et al. High resolution measurement of cerebral blood flow using intravascular tracer bolus passages. Part II: Experimental comparison and preliminary results. Magnetic Resonance in Medicine, volume 36, 1996, pages 726-736.
	W	Foley JP. Equations for chromatographic peak modeling and calculation of peak area. Analytical Chemistry, volume 59, 1987, pages 1984-1987.
	X	Definition of "chi-square test." Academic Press Dictionary of Science and Technology, 1992. Retrieved online on 22 July 2010 << http://www.credoreference.com/entry/apdst/chi_square_test >>.

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.